



5	BUSHING	PTFE	1
4	X-RING	NBR	1
3	STEM	SS410	1
2	DISC	DI+NBR	1
1	BODY	DI	1
NO. PARTS NAME		MATERIAL	QTY

TEST PRESSURE	HYDROSTATIC	SHELL 225 PSI	SEAL 165 PSI
	AIR		
STAND-ARD	DESIGN CODE	ANSI 150#	

SIZE	A	B	C	E	F	H	I	K	L	B1×B1	J	N	N-Ød1
DN50	50	57.15	60.3	15.88	7.92	119	63	30	82.4	11×11	90	70	4-10
DN65	61	69.09	73	15.88	7.92	125	68.5	30	96.8	11×11	90	70	4-10
DN80	78	84.94	88.9	15.88	7.92	131.5	80	30	96.8	11×11	90	70	4-10
DN100	101	110.08	114.3	15.88	9.53	151	94	30	115.8	11×11	90	70	4-10
DN125	127	137.03	141.3	15.88	9.53	171.5	108	30	147.6	14×14	90	70	4-10
DN150	150	163.96	168.3	15.88	9.53	183	123	30	147.6	14×14	90	70	4-10
DN200	202	214.4	219.1	19.1	11.13	205.4	149.4	40	133.4	17×17	125	102	4-12
DN250	253	268.3	273	19.1	12.7	250	186	40	158.8	22×22	125	102	4-12
DN300	303	318.3	323.9	19.1	12.7	275	213	40	163.6	22×22	125	102	4-12

TITLE : Grooved End Butterfly Valve DN50-DN300			
APPROVED		DWG NO.	REV
CHECKED			
DRAWN			
DESIGNED		SCALE	UNIT mm